

View Online at <https://aerobasegroup.com/nsn/5950-01-062-2530>

Reliability Indicator:

Not established

Overall Length:

Between 3.380 inches and 3.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.690 inches single mounting facility single center group and 2.810 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.310 inches single mounting facility single center group and 2.430 inches single mounting facility single center group

Overall Height:

Between 4.060 inches and 4.180 inches

Overall Width:

Between 2.920 inches and 3.040 inches

Mounting Slot Width:

0.200 inches single group

Frequency Rating:

50.0 hertz single component and 65.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

130.0 volt-ampere single component

Maximum Operating Temp:

80.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Bracket single group and slot single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

4.64 amperes ac single component all secondary

Winding Operating Voltage:

28.00 ac volts single component all secondary

Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0