NSN 5950-01-062-8708

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-062-8708	
Reliability Indicator:	
Not established	
Overall Length:	
6.560 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
5.250 inches single mounting facility single center group	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
4.500 inches single mounting facility single center group	
Overall Height:	
6.008 inches	
Overall Width:	
5.280 inches	
Mounting Hole Diameter:	
0.296 inches single group and 0.312 inches single group	
Frequency Rating:	
57.0 hertz single component and 63.0 hertz single component	
Input-output Phase Relationship:	
Three phase to three phase single component	
Winding Shielding Method:	
Internal shield grounded to inclosure single component	
Body Length:	
6.560 inches	
Body Width:	
3.810 inches	
Body Height:	
5.060 inches	
Distance Between Mounting Facility Centers:	
2.625 inches single mounting facility single center group	
Inclosure Type:	
Hermetically sealed	
Mounting Facility Quantity:	
6 single group	
Mounting Method:	
Flange single group and unthreaded hole single group	
Winding Function And Quantity:	

3 primary single component and 3 secondary single component

Winding Operating Current:

20.4 amperes ac single component all secondary

Winding Operating Voltage:

440.00 ac volts single component all primary

Terminal Type And Quantity:

6 solder stud

NSN 5950-01-062-8708

Power Transformer - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0