NSN 5950-01-063-8558

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-063-8558

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.052 inches single mounting facility single center group and 2.072 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.625 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

Body Length:

2.960 inches

Body Width:

Between 2.400 inches and 2.440 inches

Body Height:

2.920 inches

Maximum Operating Temp:

155.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

3 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

2 primary single component and 6 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Operating Current:

4.1 milliamperes ac single component 2nd secondary

Winding Operating Voltage:

98.00 ac volts single component 1st primary

Special Features:

5th secondary tapped 120v 10ma, 6th secondary tapped 250v 25ma

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

14 turret and 12 wire lead

NSN 5950-01-063-8558

Power Transformer - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0