NSN 5950-01-063-9685

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-063-9685

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.250 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.125 inches single mounting facility single center group

Mounting Hole Diameter:

0.186 inches single group and 0.192 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

Body Length:

4.650 inches

Body Width:

3.500 inches

Body Height:

3.150 inches

Maximum Operating Temp:

155.0 degrees celsius

End Application:

Alq137

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

82.0 milliamperes ac single component 2nd secondary

Winding Operating Voltage:

115.00 ac volts single component single primary and 200.00 ac volts single component single primary

Terminal Type And Quantity:

1 connector, receptacle and 4 turret

Shelf Life:

N/a

NSN 5950-01-063-9685

Power Transformer - Page 2 of 2



| ш | ın | 10 | <i>(</i>)+ | Measure: | |
|---|----|----|-------------|----------|--|
| | | | | | |

--

Demilitarization:

No

Fiig:

A058b0