

View Online at <https://aerobasegroup.com/nsn/5950-01-064-1189>

Reliability Indicator:

Not established

Inductance Rating:

0.82 microhenries single component single winding

Coil Form Type:

Solid single component

Core Construction:

Solid single component

Body Length:

Between 0.365 inches and 0.385 inches

Body Outside Diameter:

Between 0.145 inches and 0.165 inches

Maximum Operating Temp:

125.0 degrees celsius

End Application:

Wsd: nimitz class cvn; wasp lhd; los angeles ssn (688); forrestal cv; oliver perry ffg; spruance dd (963) arleigh burke ddg; ticonderoga cg (47); seawolf ssn

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group

Rating Method:

Electrical single component single winding

Features Provided:

Tinned wire leads

Winding Operating Current:

900.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

0.220 single component single winding

Quality Factor:

50 single component single winding

Criticality Code Justification:

Feat

Special Features:

Weapon system essential; standard tolerance 5pct

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0