# NSN 5950-01-067-7389

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-067-7389 **Reliability Indicator:** Not established **Inductance Type:** Fixed **Inductance Rating:** 0.40 millihenries single component single winding Frequency Rating: 40.0 kilohertz single component **Body Length:** 1.450 inches **Body Width:** 1.260 inches **Body Height:** 0.690 inches **Maximum Operating Temp:** 85.0 degrees celsius **Distance Between Mounting Facility Centers:** 1.450 inches single mounting facility single center group **End Application:** Wsd: mobile subscriber equipment (mse); assault amphibious vehicle, command (aavc-7a1); switchboard, telephone, automatic (sb-361 (v)/tt) Winding Quantity: 1 single component

#### **Inclosure Type:**

Fully enclosed

## **Mounting Facility Quantity:**

2 single group

#### **Mounting Method:**

Threaded hole single group

#### **Rating Method:**

Electrical single component single winding

#### Thready Qty Per Inch (tpi):

40 single group

#### **Thread Size:**

0.112 inches single group

#### **Winding Operating Current:**

2.5 amperes dc single component single winding

## Dc Resistance Rating In Ohms:

0.100 single component single winding

#### **Criticality Code Justification:**

Feat

#### **Special Features:**

Weapon system essential

# NSN 5950-01-067-7389

Reactor - Page 2 of 2



Thread Series Designator:
Unc single group
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A058b0