

View Online at <https://aerobasegroup.com/nsn/5950-01-069-6072>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.000 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.875 inches single mounting facility single center group

**Mounting Slot Width:**

0.156 inches single group

**Frequency Rating:**

380.0 hertz single component and 500.0 hertz single component

**Input-output Phase Relationship:**

Three phase to six phase single component

**Transformer Winding Connection Type:**

Delta-wye

**Winding Shielding Method:**

Internal shield grounded to core and brought out to terminal single component

**Body Length:**

4.781 inches

**Body Width:**

3.020 inches

**Body Height:**

3.688 inches

**Maximum Operating Temp:**

60.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Slot single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Winding Operating Current:**

8.2 amperes ac single component single secondary

**Winding Power Rating:**

45.1 volts-amperes single component single secondary

**Winding Operating Voltage:**

5.50 ac volts single component single secondary

**Terminal Type And Quantity:**

8 pin and 3 wire hook

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0