# NSN 5950-01-069-7191

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-069-7191

# Reliability Indicator:

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.406 inches single mounting facility single center group

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.250 inches single mounting facility single center group

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

#### Transformer Winding Connection Type:

Delta-delta

Winding Shielding Method:

Internal shield grounded to core single component

#### **Body Length:**

### 3.680 inches

Body Width:

2.680 inches

#### Body Height:

3.800 inches

#### Maximum Operating Temp:

105.0 degrees celsius

#### Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

#### Winding Function And Quantity:

1 primary single component and 5 secondary single component

#### Thread Size:

0.250 inches single group

# Winding Operating Current:

5.0 amperes ac single component 4th secondary

# Winding Operating Voltage:

58.50 ac volts single component single primary and 150.00 ac volts single component single primary

# Thread Series Designator:

Unf single group

# Terminal Type And Quantity:

18 threaded stud

### Shelf Life:

N/a

# NSN 5950-01-069-7191

Power Transformer - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

