## NSN 5950-01-069-8640

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-069-8640

Reliability Indicator:
Not established
Hazardous Locations/environmental Protection:
Humidity resistant and vibration resistant
Overall Length:
2.311 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.681 inches single mounting facility single center group and 1.697 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.571 inches single mounting facility single center group and 1.587 inches single mounting facility single center group
Overall Height:
3.465 inches
Overall Width:
2.220 inches
Inductance Type:
Fixed
Inductance Rating:
10.00 millihenries single component single winding
Frequency Rating:
400.0 hertz single component
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component single winding
Thread Size:
0.164 inches single group
Winding Operating Current:
4.6 amperes ac single component single winding
Dc Resistance Rating In Ohms:
4.000 single component single winding
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
2 tab, solder lug

N/a

Shelf Life:

## NSN 5950-01-069-8640

Reactor - Page 2 of 2



ı	1	n	iŧ	<b>1</b>	: N/	lea			_	
ı	u	n	IT	OI	١V	ıea	เรเ	JI	е	:

--

Demilitarization:

No

Fiig:

A058b0