NSN 5950-01-078-5789

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-078-5789

Center To Center Distance Between Mounting Facilities Parallel To Length:
2.800 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.200 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
320.00 millihenries single component single winding
Frequency Rating:
10.0 kilohertz single component
Body Length:
3.580 inches
Body Width:
2.900 inches
Body Height:
3.320 inches
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
8.000 inches single group
Winding Operating Current:
620.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
100.000 single component single winding
Special Features:
Dc inductor used with capacitor in lc filter network; dc component of input voltage-7100 volts; peak instantaneous voltage-13, 000 volts max
Thread Series Designator:
Unf single group
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5950-01-078-5789

Reactor - Page 2 of 2



Fiig:

A058b0