## NSN 5950-01-078-6774

Power Transformer - Page 1 of 2

**AeroBase** 

View Online at https://aerobasegroup.com/nsn/5950-01-078-6774

Thread Direction (non-o	ore):
Err-070	
Reliability Indicator:	
Not established	
Center To Center Dista	nce Between Mounting Facilities Parallel To Length:
1.300 inches single mou	nting facility single center group
Center To Center Dista	nce Between Mounting Facilities Parallel To Width:
1.000 inches single mou	nting facility single center group
Frequency Rating:	
400.0 hertz single comp	onent
Input-output Phase Rel	ationship:
Single phase to single ph	ase single component
Winding Shielding Meth	iod:
Internal shield grounded	to inclosure and core and brought out to terminal single component
Body Length:	
1.590 inches	
Body Width:	
1.390 inches	
Body Height:	
1.160 inches	
Inclosure Type:	
Fully enclosed	
Mounting Facility Quan	tity:
4 single group	
Mounting Method:	
Threaded hole single gro	up
Winding Function And	Quantity:
1 primary single compon-	ent and 2 secondary single component
Thready Qty Per Inch (t	pi):
40 single group	
Thread Size:	
0.112 inches single group	
Winding Operating Volt	age:
9.00 ac volts single com	ponent 1st secondary and 36.00 ac volts single component 1st secondary and 54.00 ac volts single component 1st
secondary	
Thread Series Designat	or:
Unc single group	
Terminal Type And Qua	intity:
10 pin	
Shelf Life:	
N/a	
Unit Of Measure:	

## NSN 5950-01-078-6774

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

