## NSN 5950-01-079-9034

Reactor - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5950-01-079-9034
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.700 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.700 inches single mounting facility single center group
Mounting Hole Diameter:
0.154 inches single group
Inductance Type:
Fixed
Inductance Rating:
23.00 microhenries single component single winding
Frequency Rating:
10.0 kilohertz single component
Body Length:
1.000 inches
Body Width:
1.000 inches
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Rating Method:
Electrical single component single winding
Winding Conductor Size:
0.04030 inches american wire gage single component single winding
Winding Operating Current:
16.0 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.008 single component single winding
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 5950-01-079-9034

Reactor - Page 2 of 2



Fiig:

A058b0