NSN 5950-01-087-3790

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-087-3790

| Reliability Indicator: |
|----------------------------------------------------------------------------------------------|
| Not established |
| Turn Quantity: |
| 44 single component single winding |
| Inductance Type: |
| Fixed |
| Inductance Rating: |
| 115.00 microhenries single component single winding |
| Frequency Rating: |
| 1.0 kilohertz single component |
| Body Length: |
| 0.590 inches |
| Body Outside Diameter: |
| 1.250 inches |
| Maximum Operating Temp: |
| 85.0 degrees celsius |
| Winding Quantity: |
| 1 single component |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 1 single group |
| Mounting Method: |
| Threaded hole single group |
| Rating Method: |
| Winding turns single component single winding and electrical single component single winding |
| Thread Size: |
| 0.138 inches single group |
| Winding Conductor Size: |
| 0.04030 inches american wire gage single component single winding |
| Winding Operating Current: |
| 3.75 amperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 0.040 single component single winding |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 2 pin |
| Shelf Life: |
| N/a |

Unit Of Measure:

NSN 5950-01-087-3790

Reactor - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0