NSN 5950-01-089-2624

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-089-2624

| Reliability Indicator: |
|---|
| Not established |
| Overall Length: |
| 5.500 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 5.200 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 2.550 inches single mounting facility single center group |
| Overall Height: |
| 2.150 inches |
| Overall Width: |
| 2.460 inches |
| Mounting Slot Width: |
| 0.188 inches single group |
| Frequency Rating: |
| 20.0 kilohertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Inclosure Type: |
| Open |
| Mounting Facility Quantity: |
| 8 1st group |
| Mounting Method: |
| Slot single group and threaded hole single group |
| Thready Qty Per Inch (tpi): |
| 40 single group |
| Thread Size: |
| 0.112 inches single group |
| Winding Operating Current: |
| 1.2 amperes dc single component all primary |
| Winding Operating Voltage: |
| 900.00 ac volts single component 2nd secondary |
| Special Features: |
| Input 20.0 khz min. 850.0 v p-p square wave |
| Thread Series Designator: |
| Unc single group |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

Yes - demil/mli

NSN 5950-01-089-2624

Power Transformer - Page 2 of 2



Fiig:

A058b0