NSN 5950-01-089-6729

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-089-6729

Reliability Indicator:
Not established
Inductance Type:
Fixed
Inductance Rating:
90.00 microhenries single component single winding
Body Length:
0.400 inches
Body Outside Diameter:
0.710 inches
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Method:
Terminal single group
Rating Method:
Rating Method: Electrical single component single winding
Electrical single component single winding
Electrical single component single winding Winding Operating Current:
Electrical single component single winding Winding Operating Current: 1.5 amperes dc single component single winding
Electrical single component single winding Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms:
Electrical single component single winding Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.200 single component single winding
Electrical single component single winding Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.200 single component single winding Terminal Type And Quantity:
Electrical single component single winding Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.200 single component single winding Terminal Type And Quantity: 2 wire lead
Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.200 single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life:
Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.200 single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a
Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.200 single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a
Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.200 single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure:
Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.200 single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization:
Winding Operating Current: 1.5 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.200 single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli