NSN 5950-01-095-6501

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-095-6501

Reliability Indicator: Not established **Overall Length:** 5.250 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 4.688 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 3.000 inches single mounting facility single center group **Overall Height:** 2.000 inches **Overall Width:** 3.900 inches Mounting Hole Diameter: 0.223 inches single group Mounting Slot Width: 0.250 inches single group **Frequency Rating:** 400.0 hertz single component Input-output Phase Relationship: Three phase to three phase single component **Transformer Winding Connection Type:** Delta-wye **Maximum Transformer Power Rating:** 40.0 watts single component Winding Shielding Method: Internal shield grounded to core and mounting single component **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 2 2nd group **Mounting Method:** Slot single group and unthreaded hole single group Winding Function And Quantity: 1 primary single component and 2 secondary single component Winding Operating Current: 20.0 amperes dc single component all secondary Winding Operating Voltage: 24.00 ac volts single component all secondary **Terminal Type And Quantity:** 9 wire lead w/lug Shelf Life: N/a

NSN 5950-01-095-6501

Power Transformer - Page 2 of 2

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A058b0

