## NSN 5950-01-095-7707

Radio Frequency Coil - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5950-01-095-7707

## **Reliability Indicator:**

Established

## **Reliability Failure Rate Level In Percent:**

0.010

## Inductance Rating:

18.00 microhenries single component single winding

## Coil Form Type:

Solid single component

## **Core Construction:**

S0lid single component

## Body Length:

Between 0.390 inches and 0.430 inches

## **Overall Diameter:**

Between 0.152 inches and 0.172 inches

## **Maximum Operating Temp:**

105.0 degrees celsius

## Inclosure Type:

Fully enclosed

## **Mounting Method:**

Terminal single group

## **Rating Method:**

Electrical single component single winding

## Winding Operating Current:

300.0 milliamperes dc single component single winding

## Dc Resistance Rating In Ohms:

0.890 single component single winding

## **Quality Factor:**

45 single component single winding

## **Special Features:**

Magnetically shielded

## **Test Data Document:**

81349-mil-c-39010 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## Terminal Type And Quantity:

2 wire lead

## **Specification Data:**

81349-mil-c-39010/3 government specification

## Shelf Life:

N/a

- Unit Of Measure:
- ---
- Demilitarization:
- No

# NSN 5950-01-095-7707

Radio Frequency Coil - Page 2 of 2

**Fiig:** A058b0

