## NSN 5950-01-095-7709



Power Transformer - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-01-095-7709 **Reliability Indicator:** Not established **Overall Length:** 4.562 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 3.750 inches single mounting facility single center group **Center To Center Distance Between Mounting Facilities Parallel To Width:** 3.500 inches single mounting facility single center group **Overall Height:** 5.438 inches **Overall Width: 4.468** inches **Mounting Slot Width:** 0.281 inches single group Frequency Rating: 60.0 hertz single component and 400.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component **Winding Shielding Method:** Internal shield grounded to core and brought out to terminal single component **Maximum Operating Temp:** 50.0 degrees celsius **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 8 single group **Mounting Method:** Flange single group and slot single group **Winding Function And Quantity:** 1 primary single component and 2 secondary single component **Winding Operating Current:** 13.0 amperes ac single component 1st secondary **Winding Operating Voltage:** 36.00 ac volts single component 1st secondary

## **Terminal Type And Quantity:** 8 tab, solder lug Shelf Life: N/a **Unit Of Measure:**

**Demilitarization:** 

No

## NSN 5950-01-095-7709

Power Transformer - Page 2 of 2



Fiig:

A058b0