

View Online at <https://aerobasegroup.com/nsn/5950-01-097-3315>

Reliability Indicator:

Not established

Overall Length:

6.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility single center group and 3.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.000 inches single mounting facility single center group

Overall Height:

4.938 inches

Overall Width:

4.500 inches

Mounting Slot Width:

0.281 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Six phase to three phase single component

Transformer Winding Connection Type:

Open delta-wye

Winding Shielding Method:

Internal shield grounded to inclosure single component

Maximum Operating Temp:

50.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

8 single group

Mounting Method:

Bracket single group and slot single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

13.0 amperes ac single component 1st secondary

Winding Operating Voltage:

115.00 ac volts single component single primary and 208.00 ac volts single component single primary

Terminal Type And Quantity:

16 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0