NSN 5950-01-098-4078

Power Autotransformer Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-098-4078

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Fungus resistant and salt spray resistant and vibration resistant

Overall Length:

0.510 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.390 inches single mounting facility single center group and 0.410 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.240 inches single mounting facility single center group and 0.260 inches single mounting facility single center group

Overall Width:

0.400 inches

Frequency Rating:

400.0 hertz single component and 4.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Height:

0.300 inches

Maximum Operating Temp:

125.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group

Winding Function And Quantity:

1 primary, fixed autotransformer type single component

Features Provided:

Tinned wire leads

Winding Operating Current:

8.0 milliamperes ac single component single primary output

Winding Power Rating:

3.12 volts-amperes single component single primary output

Winding Operating Voltage:

3.90 ac pounds per hour wet single component single primary output

Terminal Type And Quantity:

3 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5950-01-098-4078

Power Autotransformer Transformer - Page 2 of 2



Fiig:

A058b0