NSN 5950-01-098-4892

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-098-4892
Reliability Indicator:
Not established
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Maximum Transformer Power Rating:
1.5 volt-ampere single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
1.090 inches
Body Outside Diameter:
1.000 inches
Distance Between Mounting Facility Centers:
1.125 inches single mounting facility single center group
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
2 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Features Provided:
Color coded lead
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
147.7 milliamperes ac single component single secondary
Winding Operating Voltage:
115.00 ac volts single component single primary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
4 turret
Shelf Life:
N/a
Unit Of Measure:

NSN 5950-01-098-4892

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0