## NSN 5950-01-098-6320

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-098-6320

Reliability	Indicator:
Not establis	shed

**Center To Center Distance Between Mounting Facilities Parallel To Length:** 

0.970 inches single mounting facility single center group and 1.030 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

0.970 inches single mounting facility single center group and 1.030 inches single mounting facility single center group

**Inductance Type:** 

Fixed

Frequency Rating:

40.0 kilohertz single component

**Body Length:** 

Between 1.220 inches and 1.280 inches

**Body Width:** 

Between 1.220 inches and 1.280 inches

**Body Height:** 

Between 1.170 inches and 1.230 inches

**Maximum Operating Temp:** 

125.0 degrees celsius

**Winding Quantity:** 

4 single component

Inclosure Type:

Fully enclosed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Threaded hole single group

**Rating Method:** 

Electrical single component single winding

**Thread Size:** 

0.112 inches single group

**Winding Operating Current:** 

0.75 amperes dc single component 4th winding

Dc Resistance Rating In Ohms:

0.118 single component 2nd winding

**Thread Series Designator:** 

Unc single group

**Terminal Type And Quantity:** 

8 solder stud

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 5950-01-098-6320

Reactor - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0