## NSN 5950-01-098-7905

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-098-7905

Reliability Indicator:
Not established
Turn Quantity:
250 single component 2nd winding
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.500 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.250 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
25.00 millihenries single component 3rd winding
Frequency Rating:
1.0 kilohertz single component
Body Length:
2.125 inches
Body Width:
2.000 inches
Body Height:
1.750 inches
Winding Quantity:
3 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component all winding and winding turns single component all winding
Thready Qty Per Inch (tpi):
40 single group
Thread Size:
0.112 inches single group
Winding Conductor Size:
0.02010 inches american wire gage single component all winding
Dc Resistance Rating In Ohms:
1.370 single component 3rd winding
Special Features:
Internally shielded and brought out to terminal
Thread Series Designator:

Unc single group

## NSN 5950-01-098-7905

Reactor - Page 2 of 2



Terminal Type And Quantity:
7 turret
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A058b0