NSN 5950-01-100-5851

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-100-5851

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.000 inches single mounting facility single center group

Inductance Type:

Fixed

Inductance Rating:

0.85 millihenries single component single winding

Frequency Rating:

400.0 hertz single component

Body Length:

3.000 inches

Body Width:

1.500 inches

Body Height:

2.062 inches

Maximum Operating Temp:

85.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Rating Method:

Electrical single component single winding

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.164 inches single group

Winding Conductor Size:

0.05080 inches american wire gage single component single winding

Winding Operating Current:

20.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.040 single component single winding

Thread Series Designator:

Unc single group

NSN 5950-01-100-5851

Reactor - Page 2 of 2



Termin:	al Tyne	And (Quantity:
	ai ivbe	Allu V	zuannıv.

2 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0