## NSN 5950-01-100-5864

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-100-5864

View Online at https://aerobasegroup.com/nsn/5950-01-100-5864
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.000 inches single mounting facility single center group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
2.625 inches
Body Width:
2.500 inches
Body Height:
2.186 inches
Maximum Operating Temp:
110.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary single component and 6 secondary single component
Thread Size:
0.138 inches single group
Winding Operating Current:
1.5 amperes ac single component 3rd secondary and 2.5 amperes ac single component 3rd secondary
Winding Operating Voltage:
8.13 dc volts single component 3rd secondary and 8.55 dc volts single component 3rd secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
19 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5950-01-100-5864

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0