## NSN 5950-01-101-7884

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-101-7884

#### **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.984 inches single mounting facility single center group and 3.015 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.421 inches single mounting facility single center group and 2.453 inches single mounting facility single center group

#### Frequency Rating:

5.0 kilohertz single component and 6.0 kilohertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Body Length:**

Between 3.820 inches and 3.940 inches

#### **Body Width:**

Between 3.320 inches and 3.440 inches

#### **Body Height:**

Between 3.810 inches and 4.000 inches

#### **Maximum Operating Temp:**

155.0 degrees celsius

#### **Inclosure Type:**

Hermetically sealed

## **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

## Thready Qty Per Inch (tpi):

32 single group

## Thread Size:

0.164 inches single group

#### **Winding Operating Current:**

6.0 amperes ac single component single secondary

#### **Winding Operating Voltage:**

54.00 ac volts single component single primary

## **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

7 standoff, threaded stud

#### Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5950-01-101-7884

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0