NSN 5950-01-103-2662

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-103-2662

| Reliability Indicator: |
|--|
| Not established |
| Overall Length: |
| 5.250 inches |
| Turn Quantity: |
| 18 single component single winding |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.500 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 3.380 inches single mounting facility single center group |
| Overall Width: |
| 4.250 inches |
| Mounting Hole Diameter: |
| 0.219 inches single group |
| Mounting Slot Width: |
| 0.438 inches single group |
| Inductance Type: |
| Fixed |
| Inductance Rating: |
| 0.51 millihenries single component single winding |
| Frequency Rating: |
| 60.0 hertz single component |
| Body Height: |
| 4.625 inches |
| Winding Quantity: |
| 1 single component |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Bracket single group |
| Rating Method: |
| Electrical single component single winding and winding turns single component single winding |
| Winding Conductor Size: |
| 0.16200 inches american wire gage single component single winding |
| Winding Operating Current: |
| 60.0 amperes ac single component single winding |
| Terminal Type And Quantity: |
| 2 solder stud |
| Shelf Life: |
| N/a |

NSN 5950-01-103-2662

Reactor - Page 2 of 2



| | 1 | :. | ~ | 84 | | | | |
|---|----|----|----|-----|----|----|------|---|
| ι | JN | IT | UΤ | IVI | ea | Sι | ire: | • |

--

Demilitarization:

No

Fiig:

A058b0