

View Online at <https://aerobasegroup.com/nsn/5950-01-103-8909>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.000 inches single mounting facility single center group

Frequency Rating:

57.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Core grounded to inclosure single component

Body Length:

5.500 inches

Body Width:

4.500 inches

Body Height:

6.750 inches

End Application:

Air traffic control beacon interrogator 5 (atcbi5)

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Qty Per Inch (tpi):

20 single group

Thread Size:

0.250 inches single group

Winding Operating Voltage:

3970.00 ac volts single component single secondary

Special Features:

Function: transformation, power supplying; reference data: 1a3t302, ti 6360.70, fa 9400, pg 8-35

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 standoff, solderless lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0