

View Online at <https://aerobasegroup.com/nsn/5950-01-104-5001>

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.375 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

5.750 inches single mounting facility single center group

Mounting Slot Width:

0.438 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

7.125 inches

Body Width:

6.750 inches

Body Height:

6.250 inches

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Power Rating:

1.5 kilovolt-amperes single component single secondary

Winding Operating Voltage:

86.00 ac volts single component single secondary and 90.00 ac volts single component single secondary and 94.00 ac volts single component single secondary

Special Features:

Special requirements for nuclear propulsion plant equipment contained in individual repair parts ordering data instrumentation control no. Ac0031a, line no. 0069

Terminal Type And Quantity:

6 wire lead

Reference Number Differentiating Characteristics:

As differentiated by special features

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0