## NSN 5950-01-104-5417

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-104-5417

## **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.312 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.125 inches single mounting facility single center group

## Mounting Hole Diameter:

0.125 inches single group

### Inductance Type:

Fixed

## **Inductance Rating:**

1.25 henry single component single winding

## **Frequency Rating:**

60.0 hertz single component

## **Body Length:**

## 1.625 inches

**Body Width:** 

1.312 inches

Body Height:

1.375 inches

## Maximum Operating Temp:

130.0 degrees celsius

## Winding Quantity:

1 single component

## Inclosure Type:

Fully enclosed

## Mounting Facility Quantity:

4 single group

#### **Mounting Method:**

Unthreaded hole single group

#### **Rating Method:**

Electrical single component single winding

## Winding Operating Current:

100.0 milliamperes dc single component single winding

## Dc Resistance Rating In Ohms:

120.000 single component single winding

## **Test Data Document:**

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## Terminal Type And Quantity:

2 tab, solder lug

#### **Specification Data:**

81349-mil-t-27/159 government specification

# NSN 5950-01-104-5417

Reactor - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

