

View Online at <https://aerobasegroup.com/nsn/5950-01-104-7472>

Reliability Indicator:

Not established

Overall Length:

4.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.400 inches single mounting facility single center group and 3.515 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.110 inches single mounting facility single center group and 3.140 inches single mounting facility single center group

Overall Height:

Between 3.120 inches and 3.150 inches

Overall Width:

Between 3.720 inches and 3.780 inches

Mounting Slot Width:

0.196 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Operating Current:

3.5 amperes ac single component 3rd secondary

Winding Operating Voltage:

9.50 ac pounds per hour wet single component 3rd secondary

Terminal Type And Quantity:

9 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0