NSN 5950-01-105-1972

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-105-1972

| Reliability Indicator: |
|--|
| Not established |
| Turn Quantity: |
| 20 single component single winding |
| Mounting Hole Diameter: |
| 0.093 inches single group |
| Inductance Type: |
| Fixed |
| Inductance Rating: |
| 13.00 microhenries single component single winding |
| Body Length: |
| 0.750 inches |
| Body Width: |
| 0.750 inches |
| Body Height: |
| 0.500 inches |
| Maximum Operating Temp: |
| 115.0 degrees celsius |
| Winding Quantity: |
| 1 single component |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 1 single group |
| Mounting Method: |
| Unthreaded hole single group |
| Rating Method: |
| Electrical single component single winding and winding turns single component single winding |
| Winding Conductor Size: |
| 0.01594 inches american wire gage single component single winding |
| Dc Resistance Rating In Ohms: |
| 0.080 single component single winding |
| Terminal Type And Quantity: |
| 2 turret |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A058b0 |