# NSN 5950-01-107-8679

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-107-8679

# Reliability Indicator:

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.754 inches single mounting facility single center group and 1.786 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.754 inches single mounting facility single center group and 1.786 inches single mounting facility single center group

# Frequency Rating:

60.0 hertz single component

## Input-output Phase Relationship:

Single phase to single phase single component

## Winding Shielding Method:

Internally shielded single component

Body Length:

2.520 inches

Body Width:

# 2.520 inches

Body Height:

3.350 inches

#### Inclosure Type:

Fully enclosed

#### Mounting Facility Quantity:

4 single group

#### Mounting Method:

Threaded stud single group

### Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Thread Size:

4.0 millimeters single group

### Winding Operating Current:

715.0 milliamperes ac single component single secondary

#### Winding Operating Voltage:

440.00 ac volts single component single primary

#### **Thread Series Designator:**

Iso m single group

#### **Terminal Type And Quantity:**

5 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

## Demilitarization:

No

# NSN 5950-01-107-8679

Power Transformer - Page 2 of 2

**Fiig:** A058b0

