# NSN 5950-01-114-1176

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-114-1176

# **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.312 inches single mounting facility single center group

### **Overall Height:**

3.156 inches

#### **Frequency Rating:**

400.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

### Winding Shielding Method:

Internally shielded single component

#### **Body Length:**

2.375 inches

# Body Width:

Body Madin.

1.750 inches

# Maximum Operating Temp:

105.0 degrees celsius

# Inclosure Type:

Fully enclosed

## Mounting Facility Quantity:

4 single group

#### **Mounting Method:**

Threaded hole single group

### Winding Function And Quantity:

1 primary single component and 2 secondary single component

#### Thread Size:

0.138 inches single group

### Winding Operating Current:

4.0 milliamperes ac single component all secondary

#### Winding Operating Voltage:

6.30 ac volts single component all secondary

#### **Thread Series Designator:**

Unc single group

### **Terminal Type And Quantity:**

7 standoff, solder lug

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5950-01-114-1176

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

