

View Online at <https://aerobasegroup.com/nsn/5950-01-115-9374>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.156 inches single mounting facility single center group and 3.060 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.990 inches single mounting facility single center group and 3.010 inches single mounting facility single center group

Mounting Slot Width:

0.440 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

97.0 watts single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

4.420 inches

Body Width:

3.800 inches

Body Height:

5.060 inches

Maximum Operating Temp:

115.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Features Provided:

Color coded lead

Winding Operating Current:

900.0 milliamperes ac single component 2nd secondary

Winding Operating Voltage:

100.00 ac volts single component single primary and 132.00 ac volts single component single primary

Terminal Type And Quantity:

14 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0