## NSN 5950-01-116-7539

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-116-7539
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.188 inches single mounting facility single center group
Mounting Slot Width:
0.188 inches single group
Frequency Rating:
380.0 hertz single component and 420.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield brought out to terminal single component
Body Length:
3.188 inches
Body Width:
2.250 inches
Body Height:
2.563 inches
Maximum Operating Temp:
55.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Bracket single group and slot single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Winding Operating Current:
0.13 amperes ac single component single secondary
Winding Power Rating:
2.0 volts-amperes single component single secondary
Winding Operating Voltage:
15.00 ac pounds per hour wet single component single secondary
Terminal Type And Quantity:
5 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

## NSN 5950-01-116-7539

Power Transformer - Page 2 of 2



Fiig:

A058b0