NSN 5950-01-116-7539

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-116-7539

Reliability Indicator: Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 2.188 inches single mounting facility single center group Mounting Slot Width: 0.188 inches single group **Frequency Rating:** 380.0 hertz single component and 420.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component Winding Shielding Method: Internal shield brought out to terminal single component **Body Length:** 3.188 inches **Body Width:** 2.250 inches **Body Height:** 2.563 inches Maximum Operating Temp: 55.0 degrees celsius Inclosure Type: Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Bracket single group and slot single group Winding Function And Quantity: 1 primary single component and 1 secondary single component Winding Operating Current: 0.13 amperes ac single component single secondary Winding Power Rating: 2.0 volts-amperes single component single secondary Winding Operating Voltage: 15.00 ac pounds per hour wet single component single secondary **Terminal Type And Quantity:**

5 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5950-01-116-7539

Power Transformer - Page 2 of 2

Fiig: A058b0

