

View Online at <https://aerobasegroup.com/nsn/5950-01-121-7882>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.870 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.370 inches single mounting facility single center group

Frequency Rating:

47.0 hertz single component and 440.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

3.620 inches

Body Width:

3.120 inches

Body Height:

2.500 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

2 primary single component and 2 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

23.0 milliamperes ac single component all primary

Winding Operating Voltage:

33.00 ac volts single component 2nd secondary

Special Features:

Second secondary winding centertap grounded

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

11 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0