NSN 5950-01-123-5377

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-123-5377
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.250 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.250 inches single mounting facility single center group
Frequency Rating:
47.0 hertz single component and 63.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
2.840 inches
Body Width:
2.700 inches
Body Height:
3.440 inches
Maximum Operating Temp:
50.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Bracket single group and slot single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Cubic Measure (non-core):
26.3 cubic inches
Winding Operating Current:
750.0 milliamperes dc single component 3rd secondary
Winding Operating Voltage:
56.00 ac pounds per hour wet single component 2nd secondary
Terminal Type And Quantity:
11 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5950-01-123-5377

Power Transformer - Page 2 of 2



Fiig:

A058b0