NSN 5950-01-125-2059

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-125-2059

Reliability Indicator: Not established **Overall Length:** 3.120 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.940 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 1.750 inches single mounting facility single center group **Overall Height:** 2.600 inches **Overall Width:** 2.250 inches **Frequency Rating:** 380.0 hertz single component and 420.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component Winding Shielding Method: Ground brought out to terminal single component Inclosure Type: Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded hole single group Winding Function And Quantity: 1 primary single component and 1 secondary single component Thready Qty Per Inch (tpi): 32 single group **Thread Size:** 0.164 inches single group Winding Operating Current: 0.28 amperes ac single component single primary Winding Operating Voltage: 25.15 ac volts single component single secondary **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 6 tab, solder lug Shelf Life: N/a Unit Of Measure: ---

NSN 5950-01-125-2059

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

