NSN 5950-01-126-2685

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-126-2685

| Reliability Indicator: |
|---|
| Not established |
| Overall Length: |
| 1.750 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.250 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 1.000 inches single mounting facility single center group |
| Overall Height: |
| 1.560 inches |
| Frequency Rating: |
| 400.0 hertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Maximum Transformer Power Rating: |
| 25.0 watts single component |
| Body Width: |
| 1.500 inches |
| Maximum Operating Temp: |
| 130.0 degrees celsius |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 2 single group |
| Mounting Method: |
| Threaded hole single group |
| Winding Function And Quantity: |
| 1 primary single component and 2 secondary single component |
| Thread Size: |
| 0.138 inches single group |
| Winding Operating Current: |
| 2.5 amperes ac single component all secondary |
| Winding Operating Voltage: |
| 115.00 ac volts single component single primary |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 6 turret |
| |
| Shelf Life: |
| Shelf Life: N/a |

-

NSN 5950-01-126-2685

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0