

View Online at <https://aerobasegroup.com/nsn/5950-01-126-2897>

Reliability Indicator:

Not established

Turn Quantity:

15 single component single primary output

Inductance Rating:

26.00 microhenries single component single primary output

Frequency Rating:

2.5 megahertz single component

Adjustment Device Drive Type:

Slotted screw single component

Body Length:

0.413 inches

Body Width:

0.413 inches

Body Height:

0.520 inches

Maximum Operating Temp:

100.0 degrees celsius

Distance Between Mounting Facility Centers:

0.374 inches single mounting facility single center group

Mounting Tab Width:

0.059 inches

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group and tab single group

Rating Method:

Electrical single component single primary output and winding turns single component single primary output

Winding Function And Quantity:

1 primary, variable autotransformer type single component

Winding Conductor Size:

0.00500 inches american wire gage single component single primary output

Adjustment Method And Quantity:

1 adjustable cup single component

Test Data Document:

13499-242-0441 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

6 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0