

View Online at <https://aerobasegroup.com/nsn/5950-01-127-7693>

**Reliability Indicator:**

Not established

**Turn Quantity:**

65 single component single winding

**Inductance Type:**

Swinging

**Inductance Rating:**

337.50 microhenries single component single winding and 675.00 microhenries single component single winding

**Frequency Rating:**

1.0 kilohertz single component

**Body Length:**

0.450 inches

**Body Outside Diameter:**

0.875 inches

**Maximum Operating Temp:**

140.0 degrees celsius

**Winding Quantity:**

1 single component

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

1 single group

**Mounting Method:**

Threaded hole single group

**Special Handling Feature:**

Pilferable

**Rating Method:**

Winding turns single component single winding and electrical single component single winding

**Thready Qty Per Inch (tpi):**

40 single group

**Thread Size:**

0.112 inches single group

**Winding Conductor Size:**

0.02535 inches american wire gage single component single winding

**Winding Operating Current:**

1.0 amperes dc single component single winding

**Dc Resistance Rating In Ohms:**

0.120 single component single winding

**Precious Material And Location:**

Terminal surfaces gold

**Precious Material:**

Gold

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0