

View Online at <https://aerobasegroup.com/nsn/5950-01-131-2375>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

5.000 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.000 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to single phase single component and three phase to three phase single component

**Transformer Winding Connection Type:**

Wye-delta-wye

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Length:**

6.120 inches

**Body Width:**

3.000 inches

**Body Height:**

Between 5.630 inches and 5.750 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

6 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 6 secondary single component

**Thread Size:**

0.112 inches single group

**Winding Operating Current:**

750.0 milliamperes dc single component 2nd secondary

**Winding Operating Voltage:**

48.00 dc volts single component 2nd secondary

**Special Features:**

1 primary winding; 6 secondary windings

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

25 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0