

View Online at <https://aerobasegroup.com/nsn/5950-01-133-1692>

Reliability Indicator:

Not established

Overall Length:

5.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.750 inches single mounting facility single center group

Overall Height:

6.000 inches

Overall Width:

4.380 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 8 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

0.6 amperes ac single component single primary

Winding Operating Voltage:

59.80 ac volts single component 2nd secondary

Special Features:

1 primary winding; 8 secondary windings

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

22 tab, solder lug and 9 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0