

View Online at <https://aerobasegroup.com/nsn/5950-01-133-4536>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.297 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.859 inches single mounting facility single center group

**Inductance Rating:**

0.118 henry single component single winding and 0.122 henry single component single winding and 0.126 henry single component single winding and 0.13 henry single component single winding and 0.134 henry single component single winding and 0.138 henry single component single winding and 0.142 henry single component single winding and 0.146 henry single component single winding and 0.15 henry single component single winding

**Frequency Rating:**

400.0 hertz single component

**Body Length:**

3.061 inches

**Body Width:**

2.630 inches

**Body Height:**

4.250 inches

**Maximum Operating Temp:**

70.0 degrees celsius

**Winding Quantity:**

1 single component

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Rating Method:**

Electrical single component single winding

**Thready Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.164 inches single group

**Winding Operating Current:**

300.0 milliamperes ac single component single winding and 500.0 milliamperes ac single component single winding

**Dc Resistance Rating In Ohms:**

3.000 single component single winding

**Special Features:**

Internal shield brought out to terminal

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

11 turret

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0