

View Online at <https://aerobasegroup.com/nsn/5950-01-133-4936>

Reliability Indicator:

Not established

Mounting Hole Diameter:

0.120 inches single group and 0.130 inches single group

Impedance Rating In Ohms:

600.0 single component single secondary

Frequency Rating:

1.0 kilohertz single component

Primary To Secondary Turn Ratio:

1 to 4 single component

Body Length:

0.820 inches

Body Width:

0.610 inches

Body Height:

0.700 inches

Maximum Operating Temp:

130.0 degrees celsius

Distance Between Mounting Facility Centers:

1.052 inches single mounting facility single center group and 1.072 inches single mounting facility single center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Features Provided:

Tinned wire leads

Test Data Document:

80045-ts393810 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

4 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0