## NSN 5950-01-133-5939

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-133-5939

| Reliability Indicator:  |
|---|
| Not established   |
| Overall Length:   |
| 3.312 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Length:   |
| 2.235 inches single mounting facility single center group and 2.265 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 1.860 inches single mounting facility single center group and 1.890 inches single mounting facility single center group |
| Overall Height:   |
| 5.375 inches  |
| Overall Width:  |
| 2.875 inches  |
| Frequency Rating:   |
| 60.0 hertz single component   |
| Input-output Phase Relationship:  |
| Single phase to single phase single component   |
| Distance Between Mounting Facility Centers:   |
| 2.235 inches single mounting facility single center group and 2.265 inches single mounting facility single center group |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Threaded stud single group  |
| Winding Function And Quantity:  |
| 1 primary single component and 1 secondary single component   |
| Thready Qty Per Inch (tpi):   |
| 32 single group   |
| Thread Size:  |
| 0.164 inches single group   |
| Winding Operating Current:  |
| 5.0 milliamperes ac single component single primary   |
| Winding Operating Voltage:  |
| 115.00 ac volts single component single primary   |
| Thread Series Designator:   |
| Unf single group  |
| Terminal Type And Quantity:   |
| 2 standoff, solder lug  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

## NSN 5950-01-133-5939

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0