# NSN 5950-01-134-1270

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-134-1270

| Rε | lia | ıbil | ity | Ind | icato | r: |
|----|-----|------|-----|-----|-------|----|
|    |     |      |     |     |       |    |

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.625 inches single mounting facility single center group

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.750 inches single mounting facility single center group

#### **Mounting Hole Diameter:**

0.158 inches single group

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

#### **Transformer Winding Connection Type:**

Wye-wye

#### **Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Body Length:** 

3.725 inches

**Body Width:** 

3.375 inches

# **Body Height:**

1.650 inches

#### **Maximum Operating Temp:**

130.0 degrees celsius

# **Inclosure Type:**

Open

# **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Unthreaded hole single group

# **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

#### **Winding Operating Current:**

1.0 amperes ac single component single secondary

#### **Winding Operating Voltage:**

115.00 ac volts single component single secondary

# **Terminal Type And Quantity:**

8 tab, solder lug

# Shelf Life:

N/a

# **Unit Of Measure:**

--

# NSN 5950-01-134-1270

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0