## NSN 5950-01-135-1280

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-135-1280

## **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

5.000 inches single mounting facility single center group

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group

#### Frequency Rating:

400.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

#### **Transformer Winding Connection Type:**

Delta-wye

#### **Winding Shielding Method:**

Internal shield grounded to core and mounting single component

#### **Body Length:**

**7.500** inches

#### **Body Width:**

3.500 inches

#### **Body Height:**

6.094 inches

## **Maximum Operating Temp:**

65.0 degrees celsius

#### **Inclosure Type:**

Hermetically sealed

## **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Threaded hole single group

## Winding Function And Quantity:

1 primary single component and 1 secondary single component

## Thready Qty Per Inch (tpi):

24 single group

#### Thread Size:

0.375 inches single group

#### **Winding Operating Current:**

8.0 amperes ac single component single secondary

## **Winding Operating Voltage:**

440.00 ac volts single component single primary

#### **Thread Series Designator:**

Unf single group

#### **Terminal Type And Quantity:**

6 threaded stud

# NSN 5950-01-135-1280

Power Transformer - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0